



ARGUS[®] 42^{PLUS}

» Overview of menu
and test leads

valid from firmware version R1.02.00

Legend, Hotkeys

Cross references:

Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21

Legend

Menu
Configuration menu
Default Config. menu
Input menu
Default input menu

Hotkeys

ADSL / Ethernet

Key	ADSL	Ethernet
0	Argus status	
1	Help hotkeys	
2	VPI/VCI scan	-
3	IP ping	
4	-	
5	HTTP download	
6	-	-
7	-	-
8	Trace/remote	
9	-	-
□	Line-Status	
⌘	VoIP phone	
*0	Access selection	
*1	SW options	
*2	Reset	

S / U / POTS interface

Key	S / U	POTS
0	Argus status	
1	Help hotkeys	
2	Service check	-
3	Supp. Serv. test	-
4	Auto. test	
5	Test to PC	
6	Test manager	-
7	Numbers	
8	Trace/remote	
9	BERT start	-
□	Level measuring	
⌘	Connection	
*0	Access selection	
*1	SW options	
*2	Reset	

Note

The basic package of an ARGUS® 42^{PLUS} always includes the ADSL interface. All the rest of the interfaces and test features are optional (see options in datasheet). Subject to the opted function range therefore individual menu options can be faded out. The type of access and access mode can affect this, too.

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Main menu, Single tests, Test results

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Advice

- *1 = ADSL, S
- *2 = POTS
- *3 = S
- *4 = S, U
- *5 = Ethernet no protocol

Configuration
Device

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Configuration
Profiles – Access parameters (Phys. access: ADSL, Ethernet), Test parameter, Data log

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Configuration
Profiles – Access parameters (Protocol, ATM, MAC/VLAN, PPP, PPTP, IP), Bridge/router (IP, Router)

Cross references:

Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests

	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests


	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests

	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other

	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Settings
ISDN, POTS

Cross references:



Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:





Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	


ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:	
Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5
IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13
ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18
Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19
Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:





Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:






Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Services

- Speech
- UDI 64 kBit
- 3.1 kHz audio
- 7 kHz audio
- UDI-TA
- Telephony ISDN
- Fax G3
- Fax G4
- Mixed Mode
- Teletex
- Videotex
- Telex
- OSI
- Telephony 7 kHz
- Videotelephony 1
- Videotelephony 2
- User specified 1
- User specified 2
- User specified 3

Supp. Services

- TP test
- HOLD test
- CLIP test
 - CLIP / CLIR
 - COLP/COLR
- DDI test
- MSN test
- CF test
 - CFU
 - CFB
 - CFNR
- CW test
- CCBS test
- CCNR test
- MCID test
- 3PTY test
- ECT test
- CUG test
- CD test
- AOC test
- SUB test
- UUS test

Cross references:



Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	

ISDN tests	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Cross references:




Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Lists

Services
speech
IDU 64 kBit
3.1 kHz audio
7 kHz audio
IDU TA
Telephony ISDN
Fax G3
Fax G4
Mixed Mode
Teletex
Videotex
Telex
OSI
Telephony 7 kHz
Videotelephony 1
Videotelephony 2
User specified 1
User specified 2
User specified 3

Services (CF)
All
Spch
DFU
A3K1H
A7kHz
Tel31
TTX
FaxG4
ViSyB
ViTel
FaxG3
Tel7k

Cfx types
CFU
CFB
CFNR

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Lists

Services
speech
IDU 64 kBit
3.1 kHz audio
7 kHz audio
IDU TA
Telephony ISDN
Fax G3
Fax G4
Mixed Mode
Teletex
Videotex
Telex
OSI
Telephony 7 kHz
Videotelephony 1
Videotelephony 2
User specified 1
User specified 2
User specified 3

Services (CF)
All
Spch
DFU
A3K1H
A7kHz
Tel31
TTX
FaxG4
ViSyB
ViTel
FaxG3
Tel7k

CFx types
CFU
CFB
CFNR

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



List

Services
Speech
IDU 64 kBit
3.1 kHz audio
7 kHz audio
IDU TA
Telephony ISDN
Fax G3
Fax G4
Mixed Mode
Teletex
Videotex
Telex
OSI
Telephony 7 kHz
Videotelephony 1
Videotelephony 2
User specified 1
User specified 2
User specified 3

Cross references:


Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5

IP and ATM tests	Seite
IP ping HTTP download	10
VPI/VCI scan ATM OAM ping	11
VoIP	12
MDI analysis Ethernet loop	13

ISDN tests	Seite
BERT Supp. services Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18

Other tests	Seite
Phone / Connect.. (POTS)	5
Copper test	19

Other	Seite
Legend	3
Hotkeys	3
Test leads	20-21



Test leads and pin assignments
ADSL, Ethernet

Cross references:	
Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5
IP and ATM tests	
	Seite
IP ping	10
HTTP download	10
VPI/VCI scan	11
ATM OAM ping	11
VoIP	12
MDI analysis	13
Ethernet loop	13
ISDN tests	
	Seite
BERT	14
Supp. services	14
Services	14
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18
Other tests	
	Seite
Phone / Connect.. (POTS)	5
Copper test	19
Other	
	Seite
Legend	3
Hotkeys	3
Test leads	20-21

xDSL adapter
(Art.Nr. 000048)

xDSL/POTS/BRI U cable 2 wire
(Art.Nr. 000071)

xDSL/POTS/BRI U cable 2 wire
(Art.Nr. 000071)

DSL cable
(Art.Nr. 000045)

RJ11	Ban.	RJ45
3	red	4
4	black	5

Ban.	RJ45
red	4
black	5

RJ11	RJ45
3	4
4	5

PWR

Line

Ser.

LAN

↑

RJ45	RJ45
1-8	1-8

Ethernet Patch cable 1:1 (blue)
(Art.Nr. 004466)

PWR

Line

Ser.

LAN

↑

Ethernet Patch cable 1:1 (blue)
(Art.Nr. 004466)

RJ45	RJ45
1-8	1-8

PWR

Line

Ser.

LAN

↑

RJ45

RJ 11

Test leads and pin assignments
ISDN, POTS, Copper test

Cross references:	
Menu	Seite
Access	4
Main menu	5
Single tests	5
Test reports	5
Settings	6
Device	6
Profiles	7-8
ISDN	9
POTS	9
Accu servicing	5
Help	5
IP and ATM tests	
	Seite
IP ping	10
HTTP download	
VPI/VCI scan	11
ATM OAM ping	
VoIP	12
MDI analysis	13
Ethernet loop	
ISDN tests	
	Seite
BERT	14
Supp. services	
Services	
X.31	15
CF tests	16
Phone / connect.	17
Auto. Test	18
Other tests	
	Seite
Phone / Connect..	5
(POTS)	
Copper test	19
Other	
	Seite
Legend	3
Hotkeys	3
Test leads	20-21

RJ11	Ban.	RJ45
3	red	4
4	black	5

Ban.	RJ45
red	4
black	5

PWR Line Ser. LAN

↑

RJ45	RJ45
3-6	3-6


PWR Line Ser. LAN

↑

Ban.	RJ45
yellow	1
red	4
black	5

PWR Line Ser. LAN

↑





Rahmedestraße 90
58507 Lüdenscheid

Tel.: 0 23 51 / 90 70-0
Fax: 0 23 51 / 90 70-70
Email: sales@argus.info
<http://www.argus.info>